



Workorder: VLAP (C604411)

Project ID: 6000020 - THORNDIKE POND

Wednesday, July 15, 2026

Client: THORNDIKE POND

Profile: VLAP

Sampled By: M MANSFIELD

THE THORNDIKE POND
CONSERVATION ASSOC.
PO BOX 595
JAFFREY, NH 03452

RE: Workorder: VLAP (C604411)

Project ID:6000020 - THORNDIKE POND

Enclosed are the analytical results for the sample(s) received by the laboratory on Tuesday, 6/30/2026 12:57:39 PM. Unless indicated as exceptions, the sample(s) met EPA requirements for hold times, preservation techniques, container types and other receipt conditions. Please contact us if you need measurement uncertainty values associated with radiological parameters. Results reported conform to the most current NELAP standard, where applicable, unless otherwise narrated in the body of the report. Any results reported for samples subcontracted to another laboratory are indicated on the report. Please refer to <https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx> for a copy of our current NELAP certificate and accredited parameters.

We appreciate the opportunity to provide this analytical service for you. If you have any questions regarding this report or your test results, or for any feedback, contact us at waterlab@dhhs.nh.gov. Also, please complete our Customer Satisfaction Survey by using the QR code below or going to <https://www.surveymonkey.com/r/PHLabSurvey>.

The following signature indicates technical review and acceptance of the data.

Authorized Signature:


LUCIO S. BARINELLI, Ph.D.
Program Manager

Enclosures





Workorder: VLAP (C604411)

Project ID: 6000020 - THORNDIKE POND

Data Qualifier Descriptions

The following are a list of some column headers and abbreviations with their meanings as used throughout the analysis report. Referring to them will assist you in interpreting your report.

LOQ Limit(s) of Quantitation: The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence. Any instrumental estimate of results below the LOQ is reported as Not Detected (ND).

DF= For some heavily contaminated samples, the laboratory must dilute samples to keep the final number within its calibration scale. This is referred to as the Dilution Factor. Final results and reporting limits are adjusted relative to the DF used.

QUAL= Indicates that the result has been qualified. Refer to the Analytical Report Comments and Qualifiers page for details.

LIMIT= Reflects the Maximum Contamination Level (MCL), if one exists, a secondary or recommended level or another State or Federal action level.

Surrogates = For some analyses, the laboratory adds a number of compounds to monitor analytical performance. These results are provided for your information.

> = Greater than

< = Less than

mg/L = milligrams per Liter

ug/L = micrograms per Liter

mg/kg = milligrams per kilogram

ug/kg = micrograms per kilogram

P-A = Present/Absent

CTS/100 mL = Counts per 100 milliliters

CFU = Colony forming unit

MPN = Most Probable Number

pCi/L = picoCuries per Liter

J = Estimated value; analyte detected at less than the Limit of Quantitation but greater than the laboratory's Method Detection Limit.

B = Analyte detected in the method blank for the batch of samples. Its presence in the sample may be suspect.

E = Estimated value; result exceeded the upper calibration level for the parameter.

Radiological results are expressed as a number + an uncertainty factor. Uncertainty is a calculated measure of the precision around the reported value.

All results for pH and residual chlorine samples analyzed more than 15 minutes after time of collection shall be considered QUALIFIED.

pH and conductivity results are reported at 25 degrees C

For assistance in interpreting your lab results and obtaining information regarding water treatment; go to www.des.nh.gov and search "Be Well Informed." Or go to <https://www4.des.state.nh.us/DWITool/>.





Workorder: VLAP (C604411)

Project ID: 6000020 - THORNDIKE POND

Sample Summary

Lab ID	Sample ID	Ref ID	Matrix	Date Collected	Date Received	Misc	Sample Type
C604411001	THOJAFD	EPI 2	WA	06/29/2026 12:45	06/30/2026 12:57	2026-1563	SAMPLE
C604411002	THOJAFD	HYPO 5	WA	06/29/2026 12:45	06/30/2026 12:57	2026-1564	SAMPLE
C604411003	THOJAFSW		WA	06/29/2026 12:45	06/30/2026 12:57	2026-1565	SAMPLE
C604411004	THOJAFNW		WA	06/29/2026 12:45	06/30/2026 12:57	2026-1566	SAMPLE
C604411005	THOJAFO		WA	06/29/2026 12:45	06/30/2026 12:57	2026-1567	SAMPLE

Workorder Summary

Receiving Code Comments

C604411001 (THOJAFD) - SAMPLE

Sample on ice; temp > method requirement

C604411002 (THOJAFD) - SAMPLE

Sample on ice; temp > method requirement

C604411003 (THOJAFSW) - SAMPLE

Sample on ice; temp > method requirement

C604411004 (THOJAFNW) - SAMPLE

Sample on ice; temp > method requirement

C604411005 (THOJAFO) - SAMPLE

Sample on ice; temp > method requirement



Workorder: VLAP (C604411)

Project ID: 6000020 - THORNDIKE POND

Analytical Results

Lab ID: C604411001	Date Collected: 06/29/2026 12:45	Matrix: WATER						
Sample ID: THOJAFO	Date Received: 06/30/2026 12:57	Description: EPI 2						
Parameter	Results	Units	LOQ	DF	Prepared	Analyzed	Limit	Qual
WET CHEMISTRY (LACHAT 10-115-01-1-F)								
Total Phosphorus	0.00847	mg/L	0.0050	1		07/14/2026 12:22		

Lab ID: C604411002	Date Collected: 06/29/2026 12:45	Matrix: WATER						
Sample ID: THOJAFO	Date Received: 06/30/2026 12:57	Description: HYPO 5						
Parameter	Results	Units	LOQ	DF	Prepared	Analyzed	Limit	Qual
WET CHEMISTRY (LACHAT 10-115-01-1-F)								
Total Phosphorus	0.0124	mg/L	0.0050	1		07/14/2026 12:23		

Lab ID: C604411003	Date Collected: 06/29/2026 12:45	Matrix: WATER						
Sample ID: THOJAFSW	Date Received: 06/30/2026 12:57	Description:						
Parameter	Results	Units	LOQ	DF	Prepared	Analyzed	Limit	Qual
WET CHEMISTRY (LACHAT 10-115-01-1-F)								
Total Phosphorus	0.0106	mg/L	0.0050	1		07/14/2026 12:24		

Lab ID: C604411004	Date Collected: 06/29/2026 12:45	Matrix: WATER						
Sample ID: THOJAFNW	Date Received: 06/30/2026 12:57	Description:						
Parameter	Results	Units	LOQ	DF	Prepared	Analyzed	Limit	Qual
WET CHEMISTRY (LACHAT 10-115-01-1-F)								
Total Phosphorus	0.0121	mg/L	0.0050	1		07/14/2026 12:25		

Lab ID: C604411005	Date Collected: 06/29/2026 12:45	Matrix: WATER						
Sample ID: THOJAFO	Date Received: 06/30/2026 12:57	Description:						
Parameter	Results	Units	LOQ	DF	Prepared	Analyzed	Limit	Qual
WET CHEMISTRY (LACHAT 10-115-01-1-F)								
Total Phosphorus	0.00720	mg/L	0.0050	1		07/14/2026 12:26		

